



ENJOY
NATURE
AT HOME
WITH OUR
WALLS

GENERAL WALL COVERINGS CATALOG



Wall Coverings

2014



DIVINA CORK WALLS is a high-quality brand of cork-based coverings. It is recognized for its beauty, elegance and suitability for various types of environments, from the most classical to the most contemporary.

The qualities and ecology of cork make these wall and ceiling coverings one of the best solutions in terms of comfort and pleasure:

- It is natural and renewable
- It ensures warm environments – cork retains and reflects heat
- It is a thermal insulator – it helps maintain the temperature of the rooms
- It is an acoustic insulator – it prevents the propagation of sound between spaces
- Besides thermal and acoustic insulation, it allows hiding crack and wall imperfections, mainly in thickness with 2mm and more
- It's easy to clean and maintain
- It is easy to install – just follow the instructions
- It is hypoallergenic
- It repels water
- It is resistant to moisture
- It is anti-static

The DIVINA CORK WALLS range of cork wall and ceiling Coverings includes two options: the R Series in rolls and the T Series in tiles.

This brand of coverings and flooring is a Premium range belonging to Sedacor of the Sedacor - JPS Corkgroup, one of the world's largest cork producers, which has been operating since 1924.


WR

Wall Rolls

R ROLLS
SERIES


Natural Cork Decoration

10000X700X0,5mm




Agglomerated Cork Decoration

5500X700X2mm
10000X950X0,5mm




Natural Cork Decoration

5500X700X2mm



Digital Cork Decoration

10000X700X0,5mm




WT

Wall Tiles

T TILES
SERIES

Decor Wall Tiles

300X300X3mm
600X300X3mm
600X450X3mm




Wall Tiles

Dynamic Series

Decor Wall Tiles

600X300X8mm
900X600X8mm





INDEX

ENJOY
NATURE
AT HOME
WITH OUR
WALLS



1

Divina - R Series
06 - Thin Cork Papers

5

Divina - R Series
28 - Patterns
30 - Connect Collection
36 - Straight Collection
46 - Chic List
50 - Spring Collection

2

Divina - R Series
12 - Natural

6

Divina
60 - T Series

3

Divina - R Series
18 - Natural Colored

7

66 - Dynamic Cork
68 - 3D Wall Tiles

4

Divina - R Series
22 - Colors

8

70 - Product Information
71 - Technical Data
72 - Rolls Installation
73 - Tiles Installation
74 - About Sedacor

1

06 - R Series
08 - Paper Natural

The new collection where you can find the natural cork in a real wall paper with thin thickness, for the most demanding wall decorations.

With a surface finishing ensuring resistance and the quality of the product, it's easy to install and the perfect solution for your next wall decoration.

Inspired by nature, Its natural touch, colors and patterns will seduce you for the most diverse decorative environments adding warmth and sensuality.

R ROLLS SERIES

THIN CORK PAPERS

Natural Cork Decoration

10000X700X0,5mm

Other measures under inquiry





NATURAL
NOISE ABSORBER



CONFORTABLE



EASY TO INSTALL
AND MAINTAIN



RESISTANT
AND DURABLE



THERMAL
INSULATION



ANTI-BACTERIAL
AND HYGIENIC

SAME
NATURE
LESS
THICKNESS

THICKNESS

PERFORMANCE



Apple



Lemon



Pear



Sand



Gravel



Grit



Wall Rolls

10000X700X0.5mm
Other measures under inquiry



NATURAL
NOISE ABSORBER



CONFORTABLE



EASY TO INSTALL
AND MAINTAIN



RESISTANT
AND DURABLE



THERMAL
INSULATION



ANTI-BACTERIAL
AND HYGIENIC



Pear
Straight Marine Meca Orange



Pebbles



Pebbles Black



White Grain



Black Grain



Wall Rolls

10000X700X0.5mm
Other measures under inquiry



NATURAL
NOISE ABSORBER



CONFORTABLE



EASY TO INSTALL
AND MAINTAIN



RESISTANT
AND DURABLE



THERMAL
INSULATION



ANTI-BACTERIAL
AND HYGIENIC



Lemon

2

20 - R Series
22 - Natural


The sobriety and elegance of the cork visual, which allows you to create sophisticated and cosy ambients.

R ROLLS SERIES

NATURAL

Natural Cork Decoration

5500X700X2mm





NATURAL
NOISE ABSORBER



CONFORTABLE



EASY TO INSTALL
AND MAINTAIN



RESISTANT
AND DURABLE



THERMAL
INSULATION



ANTI-BACTERIAL
AND HYGIENIC

WALLS WITH NATURE



Apple



Blackberry



Blueberry



Cashew



Cherries



Grapefruit

WR Wall Rolls

5500X700X2mm

 NATURAL NOISE ABSORBER

 COMFORTABLE

 EASY TO INSTALL AND MAINTAIN


 RESISTANT AND DURABLE

 THERMAL INSULATION

 ANTI-BACTERIAL AND HYGIENIC



Grapes



Guarana



Jackfruit



Kiwi



Lemon



Mango



Wall Rolls


5500X700X2mm



Mandarin



Melon



Orange



Persimmon



Peach



Pear

WR Wall Rolls

5500X700X2mm



NATURAL
NOISE ABSORBER



CONFORTABLE



EASY TO INSTALL
AND MAINTAIN



RESISTANT
AND DURABLE



THERMAL
INSULATION



ANTI-BACTERIAL
AND HYGIENIC



Pomegranate



Quince



Raspberry



Tamarind

Lemon

3

38 - R Series
38 - Natural Colored

Liberty and freedom in cork wall decoration.


A wide range of colors invade cork and give life to your walls, as never before in a unique sustainable product, for nature lovers or modern trendsetters.

R ROLLS SERIES

NATURAL COLORED

Natural Cork Decoration

5500X700X2mm





NATURAL
NOISE ABSORBER



CONFORTABLE



EASY TO INSTALL
AND MAINTAIN



RESISTANT
AND DURABLE



THERMAL
INSULATION



ANTI-BACTERIAL
AND HYGIENIC


OUR
NATURE
WITH
COLOR



Coconut White



Lemon Beige



Lemon Cream



Lemon Grey



Lemon Lilac



Lemon Rose

WR Wall Rolls

5500X700X2mm

 NATURAL NOISE ABSORBER

 CONFORTABLE

 EASY TO INSTALL AND MAINTAIN

 RESISTANT AND DURABLE

 THERMAL INSULATION

 ANTI-BACTERIAL AND HYGIENIC



Lemon Brown



Quince Grey



Quince Vanilla



Quince Brown



Melon Brown



Wall Rolls

5500X700X2mm

Colors available in all natural textures by request

4

44 - R Series
38 - Colors

Give color and joy to your walls!
Being a bedroom, a living room,
or any other room in your home,
you can combine style and
sustainability.

R ROLLS SERIES

COLORS

Agglomerated Cork Decoration

5500X700X2mm





NATURAL
NOISE ABSORBER



CONFORTABLE



EASY TO INSTALL
AND MAINTAIN




RESISTANT
AND DURABLE



THERMAL
INSULATION



ANTI-BACTERIAL
AND HYGIENIC



OUR
NATURE
WITH
COLOR

SOLID COLORS



Wall Color 1



Wall Color 2




Wall Color 3



Wall Color 4



Wall Color 5



Wall Color 6



Wall Rolls

5500X700X2mm

 NATURAL NOISE ABSORBER

 CONFORTABLE

 EASY TO INSTALL AND MAINTAIN

 RESISTANT AND DURABLE

 THERMAL INSULATION

 ANTI-BACTERIAL AND HYGIENIC




Wall Color 7



Wall Color 8



Wall Color 9



Wall Color 10



Wall Color 11



Wall Color 12



Wall Rolls

5500X700X2mm

 NATURAL NOISE ABSORBER


 CONFORTABLE

 EASY TO INSTALL AND MAINTAIN

 RESISTANT AND DURABLE

 THERMAL INSULATION

 ANTI-BACTERIAL AND HYGIENIC



Wall Color 13



Wall Color 14




Wall Color 15




Wall Rolls

5500X700X2mm

METALLIC COLORS



Gold



Silver



Bronze



Wall Rolls

5500X700X2mm

5

38 - R Series
51 - Patterns
52 - Technical Information

Divina cork wall coverings are available in rolls and in tiles.

With them you can cover your walls with an ecological product, choosing among classic, contemporary or even daring design styles.

You will feel by yourself that your home will become more cosy, improving the acoustic and thermal insulation.

R ROLLS SERIES

PATTERNS

Digital Cork Decoration
10000X700X0,5mm

Digital Cork Decoration White Based
10000X700X0,5mm





NATURAL
NOISE ABSORBER



CONFORTABLE



EASY TO INSTALL
AND MAINTAIN



RESISTANT
AND DURABLE



THERMAL
INSULATION



ANTI-BACTERIAL
AND HYGIENIC





Connect Simple Cork



Connect White



Connect Jade Cork



Connect Jade



Connect Sulphur Spring Cork



Connect Sulphur Spring



Wall Rolls

10000X700X0,5mm



NATURAL
NOISE ABSORBER



CONFORTABLE



EASY TO INSTALL
AND MAINTAIN



RESISTANT
AND DURABLE



THERMAL
INSULATION



ANTI-BACTERIAL
AND HYGIENIC



Connect Sulphur Spring



Connect Meca Orange Cork



Connect Meca Orange



Connect Radiant Orchid Cork



Connect Radiant Orchid



Connect Poseidon Cork



Connect Poseidon



Wall Rolls

10000X700X0,5mm



NATURAL
NOISE ABSORBER



CONFORTABLE



EASY TO INSTALL
AND MAINTAIN



RESISTANT
AND DURABLE



THERMAL
INSULATION



ANTI-BACTERIAL
AND HYGIENIC



Connect Meca Orange
Connect Meca Orange Reverse



Connect Simple Reverse Cork



Connect White Reverse



Connect Jade Reverse Cork



Connect Jade Reverse



Connect Sulphur Spring Reverse Cork



Connect Sulphur Spring Reverse

WR Wall Rolls

10000X700X0,5mm

 NATURAL NOISE ABSORBER

 CONFORTABLE

 EASY TO INSTALL AND MAINTAIN

 RESISTANT AND DURABLE

 THERMAL INSULATION

 ANTI-BACTERIAL AND HYGIENIC



Connect Meca Orange Reverse Cork



Connect Meca Orange Reverse



Connect Radiant Orchid Reverse Cork



Connect Radiant Orchid Reverse



Connect Poseidon Reverse Cork



Connect Poseidon Reverse




Wall Rolls

10000X700X0,5mm




Straight Simple Cork



Straight White



Straight Linen Cork



Straight Linen



Straight Carafe Cork



Straight Carafe



Wall Rolls

10000X700X0,5mm



NATURAL
NOISE ABSORBER



CONFORTABLE



EASY TO INSTALL
AND MAINTAIN



RESISTANT
AND DURABLE



THERMAL
INSULATION




ANTI-BACTERIAL
AND HYGIENIC



Straight Simple Cork



Straight Sulphur Spring Cork




Straight Sulphur Spring




Straight Radiant Orchid Cork



Straight Radiant Orchid



Straight Monaco Blue Cork



Straight Monaco Blue

WR Wall Rolls

10000X700X0,5mm



NATURAL
NOISE ABSORBER



CONFORTABLE



EASY TO INSTALL
AND MAINTAIN



RESISTANT
AND DURABLE



THERMAL
INSULATION



ANTI-BACTERIAL
AND HYGIENIC



Straight Carafe Cork



Straight Marine Turbulence Cork



Straight Marine Turbulence



Straight Marine Sulphur Spring Cork



Straight Marine Sulphur Spring

WR

Wall Rolls

10000X700X0,5mm

 NATURAL NOISE ABSORBER

 CONFORTABLE

 EASY TO INSTALL AND MAINTAIN

 RESISTANT AND DURABLE

 THERMAL INSULATION

 ANTI-BACTERIAL AND HYGIENIC



Straight Marine Pink Champagne Cork



Straight Marine Pink Champagne



Straight Marine African Violet Cork



Straight Marine African Violet



Straight Marine Meca Orange Cork



Straight Marine Meca Orange

WR

Wall Rolls

10000X700X0,5mm



Straight Marine Wide Turbulence Cork



Straight Marine Wide Turbulence



Straight Marine Wide Sulphur Spring Cork



Straight Marine Wide Sulphur Spring

WR Wall Rolls

10000X700X0,5mm

 NATURAL NOISE ABSORBER

 CONFORTABLE

 EASY TO INSTALL AND MAINTAIN

 RESISTANT AND DURABLE

 THERMAL INSULATION

 ANTI-BACTERIAL AND HYGIENIC



Straight Marine Wide Pink Champagne Cork



Straight Marine Wide Pink Champagne



Straight Marine Wide African Violet Cork



Straight Marine Wide African Violet



Straight Marine Wide Meca Orange Cork



Straight Marine Wide Meca Orange

WR

Wall Rolls

10000X700X0,5mm



Straight Regular Turbulence Cork



Straight Regular Turbulence



Straight Regular Sulphur Spring Cork



Straight Regular Sulphur Spring

WR

Wall Rolls

10000X700X0,5mm

 NATURAL NOISE ABSORBER

 CONFORTABLE

 EASY TO INSTALL AND MAINTAIN

 RESISTANT AND DURABLE

 THERMAL INSULATION

 ANTI-BACTERIAL AND HYGIENIC



Straight Regular Capri Cork



Straight Regular Capri



Straight Regular African Violet Cork



Straight Regular African Violet



Straight Regular Meca Orange Cork



Straight Regular Meca Orange

WR

Wall Rolls

10000X700X0,5mm



Chic List Cement Cork



Chic List Cement



Chic List African Violet Cork



Chic List African Violet



Wall Rolls

10000X700X0,5mm



NATURAL
NOISE ABSORBER



CONFORTABLE



EASY TO INSTALL
AND MAINTAIN



RESISTANT
AND DURABLE



THERMAL
INSULATION




ANTI-BACTERIAL
AND HYGIENIC



Chic List African Violet Cork



Chic List Morning Mist Cork



Chic List Morning Mist



Chic List Poseidon Cork



Chic List Poseidon



Wall Rolls

10000X700X0,5mm



NATURAL
NOISE ABSORBER



CONFORTABLE



EASY TO INSTALL
AND MAINTAIN



RESISTANT
AND DURABLE



THERMAL
INSULATION



ANTI-BACTERIAL
AND HYGIENIC



Chic List Poseidon



Garden Flowers Cork



Garden Flowers Capri Cork



Garden Flowers African Violet Cork



Garden Flowers Meca Orange Cork



Garden Flowers Andorra Cork



Garden Flowers Sulphur Cork

WR Wall Rolls

10000X700X0,5mm



NATURAL
NOISE ABSORBER



CONFORTABLE



EASY TO INSTALL
AND MAINTAIN



RESISTANT
AND DURABLE



THERMAL
INSULATION



ANTI-BACTERIAL
AND HYGIENIC



Garden Flowers Capri Cork



Garden Flowers



Base Garden Flowers



Garden Flowers Capri



Base Garden Flowers Capri



Garden Flowers African Violet



Base Garden Flowers African Violet

WR

Wall Rolls

10000X700X0,5mm

 NATURAL NOISE ABSORBER

 CONFORTABLE

 EASY TO INSTALL AND MAINTAIN

 RESISTANT AND DURABLE

 THERMAL INSULATION

 ANTI-BACTERIAL AND HYGIENIC



Garden Flowers Meca Orange



Base Garden Flowers Meca Orange



Garden Flowers Andorra



Base Garden Flowers Andorra



Garden Flowers Sulphur



Base Garden Flowers Sulphur

WR

Wall Rolls

10000X700X0,5mm



Leafs African Violet Cork



Leafs African Violet



Leafs Capri Cork



Leafs Capri



Leafs Andorra Cork



Leafs Andorra

WR Wall Rolls

10000X700X0,5mm



NATURAL
NOISE ABSORBER



CONFORTABLE



EASY TO INSTALL
AND MAINTAIN



RESISTANT
AND DURABLE



THERMAL
INSULATION



ANTI-BACTERIAL
AND HYGIENIC



Leafs Capri Cork



Leafs Meca Orange Cork



Leafs Meca Orange



Leafs Cement Cork



Leafs Cement



Leafs Sulphur Spring Cork



Leafs Sulphur Spring

WR Wall Rolls

10000X700X0,5mm

 NATURAL NOISE ABSORBER

 COMFORTABLE

 EASY TO INSTALL AND MAINTAIN

 RESISTANT AND DURABLE

 THERMAL INSULATION

 ANTI-BACTERIAL AND HYGIENIC



Leafs Meca Orange Reverse Cork



Leafs Meca Orange Reverse



Leafs Cement Reverse Cork



Leafs Cement Reverse



Leafs Sulphur Spring Reverse Cork



Leafs Sulphur Spring Reverse

WR

Wall Rolls

10000X700X0,5mm



Leafs African Violet Reverse Cork



Leafs African Violet Reverse



Leafs Capri Reverse Cork



Leafs Capri Reverse



Leafs Andorra Reverse Cork



Leafs Andorra Reverse

WR

Wall Rolls

10000X700X0,5mm



NATURAL
NOISE ABSORBER



CONFORTABLE



EASY TO INSTALL
AND MAINTAIN



RESISTANT
AND DURABLE



THERMAL
INSULATION



ANTI-BACTERIAL
AND HYGIENIC



Leafs Capri Reverse Cork

6


38 - T Series

It's a matter of shape. Wall cork coverings in tiles.

The same thermal and acoustical insulation and the same timeless beauty of cork.

T TILES SERIES

300X300X3mm
600X300X3mm
600X450X3mm





NATURAL
NOISE ABSORBER



CONFORTABLE



EASY TO INSTALL
AND MAINTAIN



RESISTANT
AND DURABLE



THERMAL
INSULATION



ANTI-BACTERIAL
AND HYGIENIC






Carol



Emily




Fiona



Florence



Gabrielle



Grace

WT Wall Tiles

300X300X3mm
600X300X3mm
600X450X3mm



NATURAL
NOISE ABSORBER



CONFORTABLE



EASY TO INSTALL
AND MAINTAIN



RESISTANT
AND DURABLE




THERMAL
INSULATION



ANTI-BACTERIAL
AND HYGIENIC




Karen



Helen




Josephine




Karen



Kelly



Mary



Ophelia

WT Wall Tiles

300X300X3mm
600X300X3mm
600X450X3mm

 NATURAL NOISE ABSORBER

 COMFORTABLE

 EASY TO INSTALL AND MAINTAIN

 RESISTANT AND DURABLE

 THERMAL INSULATION

 ANTI-BACTERIAL AND HYGIENIC



Rose



Serena



Vera



Andreia

WT

Wall Tiles

300X300X3mm
600X300X3mm
600X450X3mm

7

38 - R Series
65 - 3D Wall Tiles

When 3D Design meets nature!
Your walls will revive.

With Dynamic Cork Architectural and 3D decorative cork panels, you leverage the extraordinary natural features of cork, such as lightness, great thermal and acoustic insulation, or unique touch with a diversity of new panels shapes, colors or thickness.


With a striking design that relies on clean lines and a minimalist design.

Just let your imagination run.



WALL TILES

600X300X8mm *
900X600X8mm *



* Other thicknesses are available on request



NATURAL
NOISE ABSORBER



CONFORTABLE



EASY TO INSTALL
AND MAINTAIN



RESISTANT
AND DURABLE



THERMAL
INSULATION



ANTI-BACTERIAL
AND HYGIENIC





cookies



Waves



Bubbles



Dunes



Diamonds

WT Wall Tiles

600X300X8mm
900X600X8mm

Other thicknesses are available on request
Also available with colors



NATURAL
NOISE ABSORBER



CONFORTABLE



EASY TO INSTALL
AND MAINTAIN




RESISTANT
AND DURABLE



THERMAL
INSULATION



ANTI-BACTERIAL
AND HYGIENIC



8

67 - Underlays
67 - Cleaning & Maintenance
68 - Glue Down Installation
69 - Floating Installation
70 - About Sedacor



Product Information



Technical Data

Method of instalation

Glued

			Divina-Series R	Thin Cork Papers	Divina-Series T
			Finishing	Finishing	Finishing
			Water based finishing	Water based finishing	Water based homopolymer finishing
General Properties	Standard-Test Method	Unit	Specification	Specification	Specification
			EN 13085 + EN 15102	EN 13085 + EN 15102	EN 12781 + EN 15102
Dimensions	EN 427/ EN 426	mm	Width - 700 ± 0,50% Length - 5500 ± 0,50%	Width- 700 to 950 ± 0,50% Length - 10000 ± 0,50%	600x450 ± 0,50% 600x300 ± 0,50%
		inches	Width - 28-9/16 ± 0,50% Length - 216-9/16 ± 0,50%	Width- 28-9/16 to 37-9/16 ± 0,50% Length- 394-11/16 ± 0,50%	23-5/8x17-23/32 ± 0,20% 23-5/8x11-13/16 ± 0,20%
Thickness	ISO 7322	mm	2 ± 0,20	0,25 to 0,60	3 ± 0,15
Squareness	EN 427	mm	<0,30	<0,30	<0,30
Straightness	EN 427	mm	<0,50	<0,50	<0,50
Apparent Density	EN 672	Kg/m ³	200-250	350-400	≥ 300
Dimensional Stability	EN ISO 23999	%	≤ 0,20	≤ 0,20	≤ 0,40
Resistance to Traction	ISO 7322	kPa	≥ 300	≥ 300	≥ 300
Water Content	EN 12105	%	≤7	≤7	≤5
Curling	EN ISO 23999	mm	≤6	≤6	≤6
Safety Properties (EN 15102)	Standard-Test Method	Unit	Specification	Specification	Specification
Formaldehyde Emission	EN 12149, method C	mg/kg	<10	<10	<10
Vinyl Chloride Monomer (VCM)	EN 12149, method B	mg/kg	<0,01	<0,01	<0,01
Migration of heavy metals	EN 12149, method A	mg/kg	< maximum allowed value	< maximum allowed value	< maximum allowed value
Additional Properties	Standard-Test Method	Unit	Specification	Specification	Specification
Sound Absorption	ISO 354	α _w	0,10	---	0,10
Thermal Resistance	EN 12667	(m ² .K)/W	0,0506	---	0,0571

WALL ROLLS INSTALLATION

INSTRUCTIONS FOR THE INSTALLATION OF DIVINA SERIES R

Please read these instructions carefully in conjunction with the relevant country norms before starting the installation.

Safety Instructions

Use abrasive resistant gloves during the handling of the product. In case of using tools or cutting equipments, use gloves and goggles appropriate to the risks inherent to these operations. In case of using adhesives, use adequate breathing protection and keep out the reach of children.




Walls

1. The wall must be flat, smooth, permanently dry, firm and free of cracks, dirt and adhesion-inhibiting substances.
2. Old chalk, adhesive, oil and paint traces should be roughened with a wire brush, to obtain a substrate with absorption.
3. Waste oil must be completely removed.
4. The surface of any suitable type of substrate must be structurally sound and strong, secured, fixed, clean and free of all oil, grease, wax, dirt, varnish, lacquer, or any contaminant that can act as a bond inhibitor.
5. The irregularities should be leveled with an appropriate leveling compound.
6. Gypsum plaster, and plaster card tiles as well as other highly absorbent substrates should be primed.
7. Refer to the primer package label for dilution and drying time.


Tools Required

Seam roller, level, pencil, smooth brush, tape measure, ruler, mohair short hair roller, cloth and craft knife.







Measures

1. Draw a plumb line (vertical line) at the mark with a level.
2. This is your guide where your two strips of Series R roll will meet.



Application

1. Packaged rolls and adhesive must be acclimated at work in a dry, well-ventilated area for a minimum of 48 hours.
2. Remove the rolls from packaging just before starting the installation.
3. During installation, maintain temperature and R.H. to consistent level with the conditions that will prevail when building is occupied.
4. This means keeping the temperature range of 18 °C to 28 °C (65 °F to 82°F) and the R.H. range from 35% to 65%.
5. Install Divina Series R using Thomsit K188E.
6. For the correct application follow the instructions on the adhesive packaging label, very carefully, as well as information from technical data sheets.
7. Check the size of the wall by measuring from the line vertical line to the corner.
8. Ensure that the widths of the rolls that are near the corners are identical or greater than 5 cm.
9. If necessary, repeat the previous step, drawing new line parallel to the first one.
10. Stir the adhesive before use.
11. Apply the adhesive Thomsit K188E with short hair mohair roller.
12. Avoid pooling of adhesive.
13. Coverage must be 200-250g/sqm.
14. Carefully align the first roll to the marked plumb line.
15. Do not apply too much pressure when installing the rolls in place, so you will be able to remove if necessary.
16. When the roll is in place, press with your hands to ensure that all parts are in contact with the adhesive on the wall.
17. Go with the brush over the entire area of the roll.
18. Then use the seam roller to ensure that the roll is fixed to the wall.
19. Proceed the same way with the next rolls.



ABOUT GLUE

- Drying time Henkel Thomsit PEAC: none.
- Open Time Henkel Thomsit PEAC: 20 to 30 minutes.
- High temperatures and low RH will shorten the time.
- Low temperatures and high RH will extend the time.

WALL TILES INSTALLATION

INSTRUCTIONS FOR THE INSTALLATION OF DIVINA SERIES T AND DYNAMICORK TILES

Please read these instructions carefully in conjunction with the relevant country norms before starting the installation.

Safety Instructions

Use abrasive resistant gloves during the handling of the product. In case of using tools or cutting equipments, use gloves and goggles appropriate to the risks inherent to these operations. In case of using adhesives, use adequate breathing protection and keep out the reach of children.




Walls

1. The wall must be flat, smooth, permanently dry, firm and free of cracks, dirt and adhesion-inhibiting substances.
2. Old chalk, adhesive, oil and paint traces should be roughened with a wire brush, to obtain a substrate with absorption.
3. Waste oil must be completely removed.
4. The surface of any suitable type of substrate must be structurally sound and strong, secured, fixed, clean and free of all oil, grease, wax, dirt, varnish, lacquer, or any contaminant that can act as a bond inhibitor.
5. The irregularities should be leveled with an appropriate leveling compound.
6. Gypsum plaster, and plaster card tiles as well as other highly absorbent substrates should be primed (WAKOL D 3074, diluted 1:2 with water).
7. Refer to the primer package label for dilution and drying time.


Tools Required

- Rubber hammer, trowel, hand pressor roller, tape measure, pencil, ruler, chalk line, cloth and mohair short hair roller.



Measures

1. Find the center of the wall using a chalk line.
2. Draw two symmetric axes and use them as a starting point.
3. Verify that the intersection of two lines makes an angle of 90°.





Step By Step

- DIVINA Cork Wall Coverings Series T and Dynamicork Tiles must be installed in a brick-bond pattern.
- Carefully place the central tile in position and press it gently, specially at the edges.
- For a different and more attractive finish, do the following: align the corner of the tile against the two axes, and then carefully place down the rest of the tile.
- Carefully align the next tile the first and continue to glue the tiles.
- Do not apply too much pressure when installing the tiles in place, so you will be able to remove, if necessary, because after sticking the tiles, it is very difficult to remove them.
- When the tile is in place, press with your hand to ensure that all parts are in contact with the adhesive on the wall.
- Then use a rubber hammer to ensure that all parts of the tile are fixed to the wall.

Application

1. Packaged rolls and adhesive must be acclimated at work in a dry, well-ventilated area for a minimum of 48 hours.
2. Remove the rolls from packaging just before starting the installation.
3. During installation, maintain temperature and R.H. to consistent level with the conditions that will prevail when building is occupied.
4. This means keeping the temperature range of 18 °C to 28 °C (65 °F to 82°F) and the R.H. range from 35% to 65%.
5. Wallcoverings of cork Divine Series T are natural products and a slight variation of shades is an inherent and attractive characteristic.
6. To achieve an attractive mixture of tones, mix the tiles before installation.
7. Install DIVINA Cork Wall Coverings using Wakol D-3540
8. For the correct application follow the instructions on the adhesive packaging label, very carefully, as well as information from technical data sheets.
9. Contact adhesive must be applied to the substrate and to the tiles.
10. Check the size of the wall by measuring from the line intersection.
11. Ensure that the widths of the tiles that are near the corners are identical and greater than 5 cm.
12. If necessary, repeat the previous step, drawing new lines parallel to the first ones.
13. Mark the position of the first tile by finding the best location from the point of intersection.
14. Stir the adhesive before use.
15. Apply the adhesive D-3540 with short hair mohair roller to the back of cork tiles and to the wall.
16. Wait until the adhesive dries (about 45-60 minutes).
17. After the adhesive is dry, you will see the lines again
18. Avoid pooling of adhesive.
19. Coverage must be 150g/sqm on the tile and 150g/sqm on the wall.



About Glue

Drying time D-3540:

1. Allow the adhesive dry completely (after drying the adhesive becomes transparent).
2. The drying time is about 45-60 minutes depending on the temperature and R.H. at the site.

Open Time D-3540:

1. Tiles: pre-coated tiles can be stacked after drying and stored protected from light up to 1 day.
2. Wall: has an open time of about 2-3 hours from the time the adhesive is transparent.
3. If you are working with pre-coated tile, open time will be reduced to 1 hour.



Cork is the bark of the noble oak cork tree “Quercus Suber”, which has a lifespan of over 200 years. Every 9 years this bark is extracted in an ancient and natural process, that does not cut or harm the tree. Cork is a 100% natural, sustainable and recyclable material, with unmatched qualities that can be used in a myriad number of forms, shapes and purposes.

Cork oak forest has an astonishing ability to absorb CO2 from the atmosphere. It is estimated that it can absorb up to 14 Million Tons of CO2 per Year. The cork industry and all its products show us that sustainable development may not be utopia, it may indeed be a reality.

Sedacor is a company of the JPS Cork Group, that has been in the cork industry since 1924. We have implemented a vertical business model, which integrates cork tree forests, manufacturing, research and development as well as distribution.

The cork oak forest is where we find not only the raw materials for our industry, but also the inspiration and attitude for a balanced development, matched with a pioneer attitude and constant innovation.

As result, we have grown as a company, and developed a wide variety of cork products, which are the reason for our success in both domestic and international markets.

At our plants, cork is transformed in new and ecologically friendly ways; from cork stoppers to granulated cork, from footwear to acoustic and thermal insulation and from flooring to wall covering and fabrics.

We have evolved... in production capacity, in quality and product diversity through a group of companies strategically organized in core and complementary business areas.

We overcame barriers, introduced cork to new businesses and sectors, and by doing so, became one of the world leaders in the cork industry.

By maintaining natural cork’s features and applying innovation, new possibilities are created in a long cycle of sustainability.

That’s the beauty of our products.

We are visionaries.

We are innovators.

We are YOUR global cork solution.



Jorge Pinto de Sá
Rio Meão
Portugal



Sedacor I
São Paio de Oleiros
Portugal



Sedacor II
Rio Meão
Portugal



Sedacor III
Ponte de Sôr
Portugal



TO GE THER WITH NA TU RE



SEDACOR – Sociedade Exportadora de Artigos de Cortiça, Lda.
Av. Monte de Cima, 117 • P.O. Box 42 • 4536-906 Paços de Brandão • PORTUGAL
Tel. +351 22 7470590 • Fax: +351 22 7453322
sedacor@jpscorkgroup.com • www.jpscorkgroup.com



Watch the video
Decoration