



WATERPROOF




QUIET FLOOR



COMFORTABLE



Herringbone



AREA FLOORS

New SPC Generation Flooring
SPC FLOORING COLLECTION

Diverse & Durable




UV Coating Layer

Wear Layer

Decor Film Layer

SPC Rigid Core

IXPE Underlayment



UNIDROP
PATENTED TECHNOLOGY

OPTIONS

- ▶ Painted Bevel
- ▶ IXPE Comfort Underlay
- ▶ IXPE Comfort Plus Underlay
- ▶ EIR - Registered Emboss



WOOD PREMIUM 1

SPC COLLECTION



102 SUMMER OAK



5 mm



HERRINGBONE
150 X 610 X 5 mm

WOOD PREMIUM 2

SPC COLLECTION



119 NATURE OAK



6 mm



HERRINGBONE
150 X 750 X 6 mm

101 AUTUMN OAK	
102 SUMMER OAK	
103 WINTER OAK	
104 SPRING OAK	
105 VINTAGE OAK	
106 COTTON OAK	
107 BLACK OAK	
108 WHITE OAK	

111 SEASHORE OAK	
112 PEARL OAK	
113 SELECT OAK	
114 SAHARA OAK	
115 BOTANIC OAK	
116 CLEAR OAK	
117 BLOND OAK	
118 TAUPE OAK	
119 NATURE OAK	
120 STORAGE OAK	


WOOD XL

SPC COLLECTION



WOOD

SPC COLLECTION



201 CANYON OAK XL

202 DOMINICANO OAK XL

203 HAVANA OAK XL

204 SLATE OAK XL

205 BOSLAND OAK XL

206 VALLEY OAK XL

207 DESERT OAK XL

208 WALNUT OAK XL

209 SCRAPED OAK XL

210 CAMBRIDGE OAK XL

201 CANYON OAK

202 DOMINICANO OAK

203 HAVANA OAK

204 SLATE OAK

205 BOSLAND OAK

206 VALLEY OAK

207 DESERT OAK

208 WALNUT OAK

209 SCRAPED OAK







210 CAMBRIDGE OAK

TECHNICAL SPECIFICATIONS


WOOD PREMIUM 1

FLOORING MODEL	DECOR		MEASUREMENT (mm)	WEARLAYER	UNDERLAY	THICKNESS (mm)
 HERRINGBONE			150 X 610	0,55	YES	5
	EDGE	SURFACE	LOCKING SYSTEM	PACKAGE (m ²)	PALETTE (m ²)	CONTAINER 20'
MICRO BEVEL	EMBOSSED IN REGISTER		16 X  =1.46 m ² =11.71 Kg	108 X  =158.11 m ² =1,264.90 Kg	20 X  =3,162.24 m ² =25,297.92 Kg	20





WOOD PREMIUM 2

FLOORING MODEL	DECOR		MEASUREMENT (mm)	WEARLAYER	UNDERLAY	THICKNESS (mm)
 HERRINGBONE			150 X 750	0,55	YES	6
	EDGE	SURFACE	LOCKING SYSTEM	PACKAGE (m ²)	PALETTE (m ²)	CONTAINER 20'
MICRO BEVEL	EMBOSSED IN REGISTER		14 X  =1.58 m ² =15.75 Kg	70 X  =110.25 m ² =1,102.50 Kg	20 X  =2,425.50 m ² =24,255.00 Kg	20


WOOD XL

FLOORING MODEL	DECOR		MEASUREMENT (mm)	WEARLAYER	UNDERLAY	THICKNESS (mm)
 HERRINGBONE			150 X 750	0,30	YES	5
	EDGE	SURFACE	LOCKING SYSTEM	PACKAGE (m ²)	PALETTE (m ²)	CONTAINER 20'
MICRO BEVEL	STANDARD		16 X  =1.80 m ² =14.40 Kg	77 X  =138.60 m ² =1,108.80 Kg	20 X  =3,049.20 m ² =24,393.60 Kg	15


WOOD

FLOORING MODEL	DECOR		MEASUREMENT (mm)	WEARLAYER	UNDERLAY	THICKNESS (mm)
 HERRINGBONE			150 X 610	0,30	NO	4
	EDGE	SURFACE	LOCKING SYSTEM	PACKAGE (m ²)	PALETTE (m ²)	CONTAINER 20'
MICRO BEVEL	STANDARD		16 X  =1.80 m ² =14.40 Kg	77 X  =138.60 m ² =1,108.80 Kg	20 X  =3,049.20 m ² =24,393.60 Kg	15

Herringbone Collection Size



Herringbone Collection Size



WOOD XL

WOOD



WOOD XL		WOOD	
Plank	Herringbone	Plank	Herringbone
5 mm	5 mm	4 mm	4 mm
0.30 mm	0.30 mm	0.30 mm	0.30 mm
9 pcs	16 pcs	11 pcs	20 pcs
2.50 m ²	1.80 m ²	2.44 m ²	1.83 m ²
20.03 kg	14.40 kg	19.54 kg	14.64 kg



New **SPC**
Generation
Flooring